

Page 1/9

Safety data sheet

according to 1907/2006/EC, Article 31 Version number 2 Printing date 08.03.2018 Revision: 08.03.2018 SECTION 1: Identification of the substance/mixture and of the company/undertaking · 1.1 Product identifier · Trade name: CARDEA 2+1 HS CLEARCOAT · Article number: BV400Z045 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. · Application of the substance / the mixture Lacquer · 1.3 Details of the supplier of the safety data sheet · Manufacturer/Supplier: Manufacturer: Kansai Altan Boya San. ve Tic. A.S. Kemalpaşa OSB Mahallesi İzmir Ankara Yolu (Ansızca) Küme Evleri No: 286 35730, Kemalpaşa – İzmir TURKEY infosds@kansaialtan.com.tr • Further information obtainable from: Material safety department • 1.4 Emergency telephone number: During working hours: +90 232 870-1277 **SECTION 2: Hazards identification** · 2.1 Classification of the substance or mixture · Classification according to Regulation (EC) No 1272/2008 GHS02 flame H226 Flammable liquid and vapour. Flam. Liq. 3 GHS07 STOT SE 3 H336 May cause drowsiness or dizziness. Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects. · 2.2 Label elements · Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. · Hazard pictograms GHS02 GHS07 · Signal word Warning · Hazard-determining components of labelling: n-butyl acetate Hydrocarbons, C9 aromatics Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%) *Hydrocarbons, C10, aromatics, <1% naphthalene* · Hazard statements H226 Flammable liquid and vapour. (Contd. on page 2)





Page 2/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 08.03.2018

Version number 2

Revision: 08.03.2018

Trade name: CARDEA 2+1 HS CLEARCOAT

	(Contd. of page 1)
H336 May c	ause drowsiness or dizziness.
H412 Harmj	ful to aquatic life with long lasting effects.
· Precautiona	iry statements
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P241	Use explosion-proof electrical/ventilating/lighting equipment.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P303+P361	+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
• Additional i	nformation:
EUH208 Co hya	ntains poly(oxy-1,2-ethanediyl), α -[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4- droxyphenyl]-1-oxopropyl]- ω -hydroxy-, bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate, methyl 2,2,6,6-pentamethyl-4-piperidyl sebacate. May produce an allergic reaction.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

CAS: 123-86-4	n-butyl acetate	25-50%
EINECS: 204-658-1 Index number: 607-025-00-1 Reg.nr.: 01-2119485493-29	� Flam. Liq. 3, H226; � STOT SE 3, H336	
EC number: 918-668-5 Reg.nr.: 01-2119455851-35	Hydrocarbons, C9 aromatics Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Chronic 2, H411; STOT SE 3, H335-H336	≥2.5-<109
EC number: 919-446-0	Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2- 25%) Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Chronic 2, H411; STOT SE 3, H336	≥2.5-<109
CAS: 1330-20-7 EINECS: 215-535-7 Reg.nr.: 01-2119488216-32	xylene Flam. Liq. 3, H226; STOT RE 2, H373; Asp. Tox. 1, H304; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	≥0.1-≤2.59
CAS: 112-07-2 EINECS: 203-933-3 Index number: 607-038-00-2 Reg.nr.: 01-2119475112-47	2-butoxyethyl acetate Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332	≥0.1-≤2.5





Page 3/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 08.03.2018

Version number 2

Revision: 08.03.2018

Trade name: CARDEA 2+1 HS CLEARCOAT

	-	(Contd. of page 2)
EC number: 918-811-1	<i>Hydrocarbons, C10, aromatics, $<1\%$ naphthalene</i>	≥0.25-<2.5%
Reg.nr.: 01-2119463583-34	♦ <i>Asp. Tox. 1, H304;</i> ♦ <i>Aquatic Chronic 2, H411;</i> ♦ <i>STOT SE 3, H336</i>	
CAS: 104810-48-2	poly(oxy-1,2-ethanediyl), α-[3-[3-(2H-benzotriazol-2-yl)-5-	≥0.25-<1%
ELINCS: 400-830-7	$(1, 1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropyl]-\omega-$	
	hydroxy-	
	Aquatic Chronic 2, H411; 🚸 Skin Sens. 1, H317	
CAS: 41556-26-7	bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate	≥0.25-<1%
EINECS: 255-437-1	Aquatic Acute 1, H400; Aquatic Chronic 1, H410; 🚸 Skin Sens. 1, H317	
CAS: 82919-37-7	methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate	≥0.1-<0.25%
EINECS: 280-060-4	♦ Aquatic Acute 1, H400; Aquatic Chronic 1, H410; ♦ Skin Sens. 1, H317	
• Additional information: For	the wording of the listed hazard phrases refer to section 16.	

SECTION 4: First aid measures

• 4.1 Description of first aid measures

· After skin contact: Immediately wash with water and soap and rinse thoroughly.

• After eye contact: Rinse opened eye for several minutes under running water.

• After swallowing: If symptoms persist consult doctor.

• 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

• 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

• 5.1 Extinguishing media

• Suitable extinguishing agents: Alcohol-resistant foam, CO2, powders, water spray or mist.

· For safety reasons unsuitable extinguishing agents: Water jet.

• 5.2 Special hazards arising from the substance or mixture No further relevant information available.

5.3 Advice for firefighters

• Protective equipment:

Do not inhale explosion gases or combustion gases.

Wear fully protective suit.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.

· 6.2 Environmental precautions: Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). *Ensure adequate ventilation.*

Do not flush with water or aqueous cleansing agents

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

(Contd. on page 4)





Page 4/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 08.03.2018

Version number 2

Revision: 08.03.2018

(Contd. of page 3)

Trade name: CARDEA 2+1 HS CLEARCOAT

See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- Information about fire and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage: 5 ℃ 40 ℃
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

· 8.1 Control parameters

• *Ingredients with limit values that require monitoring at the workplace:* The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

112-07-2 2-butoxyethyl acetate

IOELV Short-term value: 333 mg/m³, 50 ppm Long-term value: 133 mg/m³, 20 ppm Skin

• Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

- · Personal protective equipment:
- · General protective and hygienic measures: Wash hands before breaks and at the end of work.
- · Respiratory protection:

If workers are exposed to concentrations above the exposure limit, they must use appropriate, certified respirators.

- Recommended filter device for short term use: Combination filter A-P2
- Protection of hands:



Protective gloves

Sensibilisation by the components in the glove materials is possible.

Check protective gloves prior to each use for their proper condition.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

(Contd. on page 5)



_.



Page 5/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 08.03.2018

Version number 2

Revision: 08.03.2018

Trade name: CARDEA 2+1 HS CLEARCOAT

(Contd. of page 4) Use gloves resistant to chemical affects (EN 374) and having CE marking. · Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. • For the permanent contact gloves made of the following materials are suitable: Butyl rubber, BR Fluorocarbon rubber (Viton) For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable: Neoprene gloves • As protection from splashes gloves made of the following materials are suitable: Nitrile rubber, NBR • Eye protection: Tightly sealed goggles • Body protection: Use protective clothing that prevents direct contact to skin. · Protective suit antistatic.

SECTION 9: Physical and chemical properties

• 9.1 Information on	basic physical and	chemical properties
----------------------	--------------------	---------------------

Appearance:		
Form:	Fluid	
Colour:	Colourless	
Odour:	Characteristic	
Odour threshold:	Not determined.	
pH-value:	Not applicable.	
Change in condition		
Melting point/freezing point:	Undetermined.	
Initial boiling point and boiling range:	· 124 °C	
Flash point:	33 °C (Closed cup)	
Flammability (solid, gas):	Not applicable.	
Decomposition temperature:	Not determined.	
Auto-ignition temperature:	Product is not selfigniting.	
Explosive properties:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	

CANSAI PAINT

EU



Page 6/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 08.03.2018

Version number 2

Revision: 08.03.2018

Trade name: CARDEA 2+1 HS CLEARCOAT

		(Contd. of page 5)
· Vapour pressure:	Not determined.	
Density at 20 °C:	$0.98 \ g/cm^3$	
Relative density	Not determined.	
· Vapour density	heavier than air	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
water:	Partly soluble.	
· Partition coefficient: n-octanol/water:	Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic at 20 °C:	40 s (DIN 53211/4)	
9.2 Other information	No further relevant information available.	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

• 10.3 Possibility of hazardous reactions No dangerous reactions known.

• 10.4 Conditions to avoid No further relevant information available.

• 10.5 Incompatible materials: No further relevant information available.

• 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

· Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

LD/LC50 values relevant for classification.		
123-86-4 n	n-butyl aceta	ate
Dermal	LD50	>5,000 mg/kg (rabbit)
Inhalative	LC50/96 h	>21 mg/l (rat)
Hydrocarbons, C9 aromatics		
Dermal	LD50	>3,160 mg/kg (rabbit)
Inhalative	LC50/96 h	mg/l (rat)
112-07-2 2	-butoxyethy	vl acetate
Dermal	LD50	1,580 mg/kg (rabbit)

· Primary irritant effect:

• Skin corrosion/irritation Based on available data, the classification criteria are not met.

• Serious eye damage/irritation Based on available data, the classification criteria are not met.

• Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

· Germ cell mutagenicity Based on available data, the classification criteria are not met.

• Carcinogenicity Based on available data, the classification criteria are not met.

• *Reproductive toxicity Based on available data, the classification criteria are not met.*

· STOT-single exposure

May cause drowsiness or dizziness.

(Contd. on page 7)





Page 7/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 08.03.2018

Version number 2

Revision: 08.03.2018

(Contd. of page 6)

Trade name: CARDEA 2+1 HS CLEARCOAT

• **STOT-repeated exposure** Based on available data, the classification criteria are not met.

• Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

- Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- Ecotoxical effects:
- · Remark: Harmful to fish
- Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- Harmful to aquatic organisms
- · 12.5 Results of PBT and vPvB assessment
- *PBT:* Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

15 00 00	0 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND	
	PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED	
15 01 00	0 packaging (including separately collected municipal packaging waste)	
15 01 10*	packaging containing residues of or contaminated by hazardous substances	

· Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

· 14.1 UN-Number · ADR, IMDG, IATA	UN1263	
14.2 UN proper shipping name		
$\cdot ADR$	1263 PAINT RELATED MATERIAL	
· IMDG, IATA	PAINT RELATED MATERIAL	
		(Contd. on page 8)

EU





Page 8/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 08.03.2018 Version number 2

Revision: 08.03.2018

Trade name: CARDEA 2+1 HS CLEARCOAT

	(Contd. of page)
14.3 Transport hazard class(es)	
ADR, IMDG, IATA	
Class	3 Flammable liquids.
Label	3
14.4 Packing group	
ADR, IMDG, IATA	III
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Warning: Flammable liquids.
Danger code (Kemler):	30
EMS Number:	<i>F-E,<u>S-E</u></i>
Stowage Category	A
14.7 Transport in bulk according to Anne	
Marpol and the IBC Code	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: El Maximum not augustitu non innon packaging: 20 ml
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
Transport category	3
Tunnel restriction code	D/E
IMDG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
UN ''Model Regulation'':	UN 1263 PAINT RELATED MATERIAL, 3, III

SECTION 15: Regulatory information

• 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU legislation:

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended). Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

· Directive 2012/18/EU

- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category P5c FLAMMABLE LIQUIDS
- \cdot Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t
- \cdot Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

(Contd. on page 9)





Page 9/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 08.03.2018

Version number 2

Revision: 08.03.2018

(Contd. of page 8)

Trade name: CARDEA 2+1 HS CLEARCOAT

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any

specific product features and shall not establish a legally valid contractual relationship. · Relevant phrases H226 Flammable liquid and vapour. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H312 Harmful in contact with skin. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H332 Harmful if inhaled. H335 May cause respiratory irritation. H336 May cause drowsiness or dizziness. H373 May cause damage to organs through prolonged or repeated exposure. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. · Department issuing SDS: Product safety department • Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 3: Flammable liquids – Category 3 Acute Tox. 4: Acute toxicity - Category 4 Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 Skin Sens. 1: Skin sensitisation - Category 1 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2 Asp. Tox. 1: Aspiration hazard – Category 1 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3 * Data compared to the previous version altered.

